

دیتا شیت موتور پهباد

# A2212/13T TECHNICAL DATA



No. of Cells:	2 - 3 Li-Poly 6 - 10 NiCd/NiMH
Kv:	1000 RPM/V


Max Efficiency:	80%
Max Efficiency Current:	4 - 10A (>75%)
No Load Current:	0.5A @10V
Resistance:	0.090 ohms
Max Current:	13A for 60S
Max Watts:	150W
Weight:	52.7 g / 1.86 oz
Size:	28 mm dia x 28 mm bell length
Shaft Diameter:	3.2 mm
Poles:	14
Model Weight:	300 - 800g / 10.5 - 28.2 oz

An small yet powerful motor for planes up to 800 grams (28 oz) using 3 li-poly cells. We suggest propping for around 140 watts continuous power with short bursts up to 180 watts. An excellent

higher-powered replacement for geared Speed 400-480 motors in slow-flying or 3D planes that require a larger 10" propeller. Use on sailplanes up to 28 oz, trainers up to 25 oz, aerobatic aircraft up to 18 oz and 3D airplanes up to 15 oz. Recommended prop is 10 x 5 on 3 li-poly cells.

The motor features a 3.2mm hardened steel shaft, dual ball bearings, and has 3.5mm gold spring male connectors already attached and includes 3 female connectors for your speed control. Now includes collet type prop adapter and radial motor mount. Mounting holes have 16mm and 19mm spacing on centers and are tapped for 3mm (M3) screws.

Similar to Welgard A2212-13, AXI Gold A2212/26, Welgard C2830-12, E-Flite Park 400. Great replacement motor for a 1/2A Texaco engine.



## IO TEST DATA

Volts	Amps	RPM
7	0.6	7380
8	0.65	8460
10	0.75	10500

## TEST DATA

<b>Propeller</b>	<b>Gear Ratio</b>	<b>Volts</b>	<b>Amps</b>	<b>Watts</b>	<b>RPM</b>	
GWS HD 8x4	1	7	3.35	23	6630	
GWS HD 8x4	1	7.9	4.1	32	7410	
GWS HD 8x4	1	8.9	4.85	43	8220	
GWS HD 8x4	1	9.9	5.65	55	8940	
GWS HD 8x4	1	10.9	6.5	70	9660	
GWS HD 9x5	1	6.9	5.5	37	6000	
GWS HD 9x5	1	7.9	6.7	52	6660	
GWS HD 9x5	1	8.9	7.85	69	7290	
GWS HD 9x5	1	9.9	9.25	91	7920	
APC E 10x5	1	6.9	7	48	5610	
APC E 10x5	1	7.9	8.45	66	6120	
APC E 10x5	1	8.9	9.9	88	6690	
APC E 10x5	1	9.9	11.45	113	7170	
APC E 10x5	1	10.9	13	141	7650	
GWS HD 10x6	1	6.9	7.2	49	5610	
GWS HD 10x6	1	7.9	8.7	68	6180	
GWS HD 10x6	1	8.9	10.1	89	6690	
GWS HD 10x6	1	9.9	11.7	115	7200	
GWS HD 10x6	1	10.9	13.25	144	7680	

GWS HD 10x8	1	10.8	18.2	196	6390	
-------------	---	------	------	-----	------	--

20  
29  
37  
34  
36  
37  
35  
38  
40  
43  
48